L Number	Hits	Search Text	DB	Time stamp
1	4291		USPAT;	2003/12/22 11:10
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.50		IBM_TDB	0000/10/00 11:10
2	152		USPAT;	2003/12/22 11:18
		overlap\$4 near10 (stor\$3 or read\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	29	(writ\$3 adj data) near10 overlap\$4 near10	USPAT;	2003/12/22 11:36
١		(read\$3 adj data)	US-PGPUB;	
			EPO; JPO;	
		ŕ	DERWENT;	
			IBM_TDB	
4	356	(writ\$3 adj data) near10 (overlap\$4 or	USPAT;	2003/12/22 11:24
		pipeline or parallel) near10 (read\$3 adj	US-PGPUB;	
		data)	EPO; JPO; DERWENT;	
•			IBM TDB	
5	165	(writ\$3 adj data) near5 (overlap\$4 or	USPAT;	2003/12/22 11:24
		pipeline or parallel) near5 (read\$3 adj	US-PGPUB;	
1		data)	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
6	1127932		USPĀT;	2003/12/22 11:25
1		pipeline or parallel) near5 (read\$3 adj	US-PGPUB;	
		data) enar10 cell	EPO; JPO;	
			DERWENT;	
7	17	(it63 adi data) manuE (an)an64 an	IBM_TDB USPAT;	2002/12/22 11.26
7	17	(writ\$3 adj data) near5 (overlap\$4 or pipeline or parallel) near5 (read\$3 adj	USPAT; US-PGPUB;	2003/12/22 11:36
		data) near10 cell	EPO; JPO;	
		data, hearro cerr	DERWENT;	
			IBM TDB	
8	1503	(writ\$3) near10 overlap\$4 near10 (read\$3)	USPAT;	2003/12/22 11:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	202	(IBM TDB	2003/12/22 11:38
9	203	(writ\$3 near5 data) near5 overlap\$4 near5 (read\$3 near5 data)	USPAT; US-PGPUB;	2003/12/22 11:38
		(leadys meals data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	adad<=19990622	USPĀT;	2003/12/22 11:39
			US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
11	17017606	 @ad<=19990622	IBM_TDB	2002/12/22 11.20
1 1 1	17917686	waun=13330044 	USPAT; US-PGPUB;	2003/12/22 11:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
12	141	((writ\$3 near5 data) near5 overlap\$4 near5	USPAT;	2003/12/22 11:39
		(read\$3 near5 data)) and @ad<=19990622	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/HH	IBM_TDB	2002/10/00 12 22
-	468	("same" adj memory adj cell) near5 (writ\$3 or stor\$3)	USPAT; US-PGPUB;	2003/12/20 13:38
ļ		OL SCULPS)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	192	("same" adj memory adj cell) near5 (writ\$3	USPAT;	2003/12/20 13:38
		or stor\$3) near5 data	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM TDB	

_	5	("same" adj memory adj cell) near5 (writ\$3	USPAT;	2003/12/20 13:39
		or stor\$3) near5 (data near5 (register or	US-PGPUB;	
		buffer or FIFO))	EPO; JPO;	
			DERWENT;	
	25	("came" add memory add coll) pears (writes	IBM_TDB USPAT;	2003/12/20 13:44
_	25	("same" adj memory adj cell) near5 (writ\$3 or stor\$3) near5 (register or buffer or	US-PGPUB;	2003/12/20 13:44
		FIFO)	EPO; JPO;	
		1110/	DERWENT;	
			IBM TDB	
l _	1 0	("same" adj memory adj cell) with (writ\$3	USPAT;	2003/12/20 13:45
	ľ	or stor\$3) with ((registered or buffered)	US-PGPUB;	2000, 12, 20 20110
		adj data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	17	(memory adj cell) with (writ\$3 or stor\$3)	USPAT;	2003/12/20 13:49
		with ((registered or buffered) adj data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
•			IBM_TDB	
-	39	(memory adj cell) with ((registered or	USPAT;	2003/12/20 13:54
		buffered) adj data)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	_	/"game" add gall\th //want-t	IBM_TDB	2002/10/20 12:55
-	1	("same" adj cell) with ((registered or	USPAT;	2003/12/20 13:55
		buffered) adj data)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	ا ا	("same" near5 cell) with ((registered or	USPAT;	2003/12/20 13:55
		buffered) adj data)	US-PGPUB;	2003/12/20 13:33
		buriorou, aug aucu,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	28		USPAT;	2003/12/20 13:57
		buffered) near10 data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4.77.		IBM_TDB	
-	13722		USPAT;	2003/12/20 13:58
		buffered) near10 data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l <u></u>	2134	(stor\$3 or writ\$3) with ((registered or	IBM_TDB USPAT;	2003/12/20 13:58
	2134	buffered) adj data)	US-PGPUB;	2003/12/20 13:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1350	(stor\$3 or writ\$3) near5 ((registered or	USPAT;	2003/12/20 13:58
		buffered) adj data)	US-PGPUB;	==.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(USPAT;	2003/12/20 14:00
		buffered) adj data) near10 cell	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.0	(gtor\$2 or unit\$2) none15 //	IBM TDB	2002/10/20 14 10
-	12	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/12/20 14:12
		buffered) adj data) with (memory near5 cell)	US-PGPUB; EPO; JPO;	
		CCITI	DERWENT;	
			IBM TDB	
	0	(stor\$3 or writ\$3) near15 ((registered or	USPAT;	2003/12/20 14:03
		buffered) adj data) with ("same" near5	US-PGPUB;	2000,12,20 14.00
		cell)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

_	0	((registered or buffered) adj data) with ("same" near5 cell)	USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:04
	5	((registered or buffered) adj data) same	DERWENT; IBM_TDB USPAT;	2003/12/20 14:05
-		("same" near5 cell)	US-PGPUB; EPO; JPO; DERWENT;	2003/12/20 14.03
_	62	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	IBM_TDB USPAT;	2003/12/20 14:07
		("same" near5 (location or address or cell))	US-PGPUB; EPO; JPO; DERWENT;	·
_	64	((registered or buffered) adj data) same (EEPROM or PROM or EPROM)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:10
			DERWENT; IBM_TDB	2003/12/20 14:11
_	6	(second near5 (registered or buffered) near5 data) with (memory near5 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/20 14:11
-	5958	(second near5 data) with (memory near5 cell)	IBM_TDB USPAT; US-PGPUB;	2003/12/20 14:12
			EPO; JPO; DERWENT; IBM TDB	
-	554	(stor\$3 or writ\$3) near10 (second adj data) near10 (memory near5 cell)	USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:13
	22	(stor\$3 or writ\$3) near10 (second adj	DERWENT; IBM_TDB USPAT;	2003/12/20 14:17
	22	data) near10 ("same" near5 memory near5 cell)	US-PGPUB; EPO; JPO; DERWENT;	2003/12/20 14.17
_	41	(stor\$3 or writ\$3) near10 sequentia1\$2 near10 ("same" near5 memory near5 cell)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:20
_	4186	(stor\$3 or writ\$3) near10 ("same" near5	DERWENT; IBM_TDB USPAT;	2003/12/20 14:20
		memory near5 cell)	US-PGPUB; EPO; JPO; DERWENT;	
-	580	(stor\$3 or writ\$3) near10 ("same" adj memory adj cell)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:22
		(otor\$2 or unit\$2) noon10 ((con-	DERWENT; IBM_TDB	2002/12/20 14/24
_	5	<pre>(stor\$3 or writ\$3) near10 ((second or another) adj (register or buffer or FIFO)) with ("same" adj memory adj cell)</pre>	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/20 14:24
_	5	((second or another) adj (register or buffer or FIFO)) with ("same" adj memory	IBM_TDB USPAT; US-PGPUB;	2003/12/20 14:24
		adj cell)	EPO; JPO; DERWENT; IBM TDB	
_	104	(register or buffer or FIFO) with ("same" adj memory adj cell)	USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:29
			DERWENT; IBM_TDB	

-	695	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/20 14:29
	ł	adj cell)	US-PGPUB;	
			EPO; JPO; DERWENT;	:
			IBM TDB	
1_	580	(writ\$3 or stor\$3) near10 ("same" adj	USPAT;	2003/12/20 14:30
	300	memory adj cell)	US-PGPUB;	2003/12/20 14:30
		memory day corry	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	295	(writ\$3 or stor\$3) near10 data near10	USPAT;	2003/12/20 14:30
		("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(=== = = = = = = = = = = = = = = =	USPAT;	2003/12/20 14:31
		data) near10 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	2372	(writ\$3 or stor\$3) near10 (buffered near5	IBM_TDB USPAT;	2003/12/20 14:31
-	23/2	data)	US-PGPUB;	2003/12/20 14:31
		data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	13	(writ\$3 or stor\$3) near10 (buffered adj	USPĀT;	2003/12/20 14:33
1	-3	data) with cell	US-PGPUB;	
			EPO; JPO;	i
			DERWENT;	
			IBM_TDB	1
-	5763	1 ' '	USPAT;	2003/12/20 14:33
		second) near10 (memory adj cell)	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	
	351	/::::tc2 or storc2) noor10 //first and	IBM_TDB USPAT;	2003/12/20 14:34
-	331	<pre>(writ\$3 or stor\$3) near10 ((first and second) adj data) near10 (memory adj cell)</pre>	US-PGPUB;	2003/12/20 14:34
		Second, adj data, hearto (memory adj cerr)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(writ\$3 or stor\$3) near10 ((first and	USPAT;	2003/12/20 14:35
		second) adj data) near10 ("same" adj	US-PGPUB;	
·		memory adj cell)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(writ\$3 or stor\$3) near10 (second adj	USPAT;	2003/12/20 14:37
		data) near10 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	4	(second adj data) near10 ("same" adj	USPAT;	2003/12/20 14:37
	[memory adj cell)	US-PGPUB;	-000, 12, 20 14.5/
		, ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	' '\	USPAT;	2003/12/20 14:40
		data) near10 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	444	data near10 ("same" adj memory adj cell)	IBM_TDB USPAT;	2003/12/20 14:47
	444	data meatio (Same adj memory adj cell)	USPAT; US-PGPUB;	2003/12/20 14:4/
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	957	(711/103).CCLS.	USPAT;	2003/12/20 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	<u></u>		IBM_TDB	

			 	
-	4	(data near10 ("same" adj memory adj cell)) and ((711/103).CCLS.)	USPAT; US-PGPUB; EPO; JPO;	2003/12/20 14:40
			DERWENT;	,
-	23		USPAT; US-PGPUB;	2003/12/20 14:45
		FIFO)) near10 ("same" adj memory adj cell)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	9	(different near5 data) near10 ("same" adj memory adj cell)	USPAT; US-PGPUB;	2003/12/20 14:45
			EPO; JPO; DERWENT;	
_	333	data near5 ("same" adj memory adj cell)	IBM_TDB USPAT;	2003/12/20 14:47
<u> </u>			US-PGPUB; EPO; JPO;	
		·	DERWENT; IBM TDB	
_	60		USPĀT;	2003/12/20 14:48
		data) near15 ("same" adj memory adj cell)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
_	326	((EEPROM or PROM or EPROM) near10 cell) with (data adj stored)	USPAT; US-PGPUB;	2003/12/21 11:20
			EPO; JPO; DERWENT;	
_	231	((EEPROM or PROM or EPROM) near5 cell)	IBM_TDB USPAT;	2003/12/21 11:21
		with (data adj stored)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	5811	(first adj data) near5 (stored or buffered or written)	USPAT; US-PGPUB;	2003/12/21 11:22
		of wifeed,	EPO; JPO; DERWENT;	
	5.4	((first adj data) near5 (stored or	IBM_TDB USPAT;	2003/12/21 12:48
	J4	buffered or written)) with ((second adj	US-PGPUB;	2003/12/21 12.40
		data) near5 (memory adj cell))	EPO; JPO; DERWENT;	
_	7	((first adj data) near5 (stored or	IBM_TDB USPAT;	2003/12/21 12:49
	:	buffered or written)) with ("same" near5 (memory adj cell))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
_	16	((first adj data) near5 (second adj data)) with ("same" near5 (memory adj cell))	USPAT; US-PGPUB;	2003/12/21 12:50
			EPO; JPO; DERWENT;	
_	0	(first adj data) near10 sequential\$2	IBM_TDB USPAT;	2003/12/21 12:51
		near10 ("same" near5 (memory adj cell))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(first adj data) with sequential\$2 with ("same" near5 (memory adj cell))	USPAT; US-PGPUB;	2003/12/21 12:52
		, , , , , , , , , , , , , , , , ,	EPO; JPO; DERWENT;	
_	64	(data) with sequential\$2 with ("same"	IBM_TDB USPAT;	2003/12/21 13:02
	04	near5 (memory adj cell))	US-PGPUB;	2005/12/21 13:02
			EPO; JPO; DERWENT;	
	<u> </u>		IBM TDB	

-	22	(different adj data) with ("same" near5	USPAT;	2003/12/21 13:04
		(memory adj cell))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(data near5 (second near5 register)) with	USPAT;	2003/12/21 13:05
	}	("same" near5 (memory adj cell))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	73	(second near5 (buffered or stored or	USPAT;	2003/12/21 13:06
		registered)) with ("same" near5 (memory	US-PGPUB;	
		adj cell))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	